
## **DIGITAL VIDEO**



# StoryPlanner PRO the ultimate tool for **3.4** ML



Mac & Win

# Story Planner PRO Version 3.4 ML User Guide

© 2008-2012 Digital Video S.p.A.

All rights reserved.

Story Planner is a trademark of Digital Video S.p.A.

JPG support: this software is based in part on the work of the Independent JPEG Group.

PNG library: libpng version 1.2.4 - July 8, 2002. Copyright © 1998-2002 Glenn Randers-Pehrson. Copyright © 1996-1997 Andreas Dilger. Copyright © 1995-1996 Guy Eric Schalnat, Group 42, Inc.

TIFF library: Copyright © 1988-1997 Sam Leffler. Copyright © 1991-1997 Silicon Graphics, Inc.

Adobe, Flash, and Macromedia are registered trademarks of Adobe Systems Incorporated in the U.S. and/or other countries.

QuickTime and the QuickTime logo are trademarks used under license. The QuickTime logo is registered in the U.S. and other countries.

All other product names mentioned in this guide may be trademarks or registered trademarks of their respective companies and are hereby acknowledged.

This document is protected under copyright law. The contents of this document may not be copied or duplicated in any form, in whole or in part, without the express written permission of Digital Video S.p.A. This document is supplied as a guide for the Story Planner product. Reasonable care has been taken in preparing the information it contains. However, this document may contain omissions, technical inaccuracies, or typographical errors. Digital Video S.p.A. do not accept responsibility of any kind for customers' losses due to the use of this document.

Special thanks to Callum Hepburn.

Printed in Italy.

Rev 3.4 ML

## Contents

## Introduction

Using Story Planner PRO	1
System Requirements	
Windows	
Macintosh	3
Suggested for Better Drawing Functions	3
Installation	3
CD-ROM Installation	3
Download Installation	4
Licensing	4

## Setting up the Storyboard

Starting a New Storyboard	. 5
Defining the Working Environment	. 6

## **Creating Sketches**

Setting the Sketch Area View	9
Drawing Sketches	10
Using Layers	13
Importing External Images as Sketches and Layers	15
Importing Photoshop Documents	15
Using the Selection Tool	17
Adding Graphical Information	

## Adding Panel Information & Notes

Editing Header Information	21
Editing Captions	
Importing a Final Draft Script	25
Using the Notepad	

## **Defining the Story Flow**

Arranging Scenes and Panels	29
Joining and Separating Panels	
Merging and Splitting Panels	

## Setting Camera and Layer Animations

Setting the Camera Box and Animation	.35
Transforming and Animating Layers	.38
Previewing Animations	

## Working with the Timeline

Navigating the Timeline	45
Using the Preview	47
Editing Panels	47
Controlling the Camera and Layer Animations	
Working with Audio Tracks	
Editing Audio Tracks	
Editing Audio Clips	
Adding Transitions	

## Loading and Saving Storyboards

Loading and Saving Storyboards	55
--------------------------------	----

## Printing the Storyboard

Printing Storyboards57	
Defining Page Layouts58	

## **Printing Exposure Sheets**

.63
.65
.66
.67
.67

## **Exporting Animatics, Images and Scenes**

Generating Animatics	9
Generating Final Cut XML Interchange Format Files7	2
Exporting Sketches	3
Exporting Scenes to Toonz	
Exporting Storyboards to CelAction2D7	

## **Keyboard Shortcuts**


Story Planner Keyboard Shortcuts	. 77
Page Layout Keyboard Shortcuts	. 80
Exposure Sheet Editor Keyboard Shortcuts	. 80

## **Using Story Planner PRO**

Story Planner streamlines the creation of a storyboard with graphical and textual information.

For several types of visual production, a storyboard is used to plan the flow of the plot and the composition of the shots, and can include when needed information about dialogue, music, camera and the movement of other objects.

The basic element of the storyboard is the panel, containing a sketch and an area with different types of captions.



With Story Planner storyboard drawings can be done directly on the computer by using a graphic tablet, and captions for each sketch can be divided into sections and formatted in any font family and style.

The story flow can be organized in scenes containing more than one panel, so that also the most complex shots can be laid down graphically. Scenes and panels can be added, deleted and rearranged at any moment during the storyboard creation.

Additional information, such as camera movements like panning and trucking, or arrows to indicate actions in the shot, can be added to complete the shot definition. Sketch animations can be defined by setting starting and ending positions for content in a layer.

Complete storyboards can be printed on paper or electronically as PDF files, and they can be used to generate animatics in QuickTime, AVI or Flash SWF format.

The print layout can be chosen among a set of predefined ones, or it can be completely customized by setting sketches, notes and information size and position on a template page.

The animatic editing can be controlled in the timeline, where sketches are displayed according to the set duration, camera and layer animations can be refined, and basic fade transitions can be inserted between sketches. Audio tracks are available to import audio files, and sync the animation with sound.

When generating the animatic, sketches and layer animations will be displayed according to the camera position and movements, and all the audio tracks will be merged to create the animatic soundtrack.

All the storyboard scenes, or selected scenes, can also be exported as Toonz scenes to start the production in Toonz Harlequin or Toonz Bravo.

## System Requirements

#### Windows

- Intel® Pentium® 4 processor, or higher
- Microsoft® Windows XP, Windows Vista or Windows 7 (32-bit or 64-bit)
- 1GB of RAM (2GB recommended)
- 40 MB of available hard-disk space
- 1024x768 or higher monitor resolution

• Ethernet card required for licensing procedure **Note:** Using a 64-bit-capable computer with a 64-bit version of Windows XP, Vista or Windows 7 dramatically improves the software performance.

#### Macintosh

- Intel-based Macintosh
- Mac OS® X 10.5 or later
- 1GB of RAM (2GB recommended)
- 60MB of available hard-disk space
- 1024x768 or higher monitor resolution
- Ethernet card required for licensing procedure

#### Suggested for Better Drawing Functions

• Graphic tablet

## Installation

During the installation two new folders will be created, one for the software, by default named **Story Planner 3.4**, and another for additional files Story Planner needs to run, named **Story Planner 3.4 stuff**.

**Story Planner 3.4 stuff** folder cannot be moved or renamed after the installation, otherwise Story Planner will not run. If the folder is accidentally deleted, you have to re-install the software.

**Note:** Story Planner standard version and Story Planner PRO version cannot be installed at the same time on the same computer: you have to uninstall the installed version first, then you can proceed installing the other version.

#### **CD-ROM** Installation

When installing from the CD-ROM, Story Planner can be installed from a Flash presentation by selecting the **Story Planner PRO Installation** option. The presentation can be run by double-clicking **StoryPlannerStart** on Mac and **StoryPlannerStart.exe** on Win, both available in the Story Planner CD-ROM.

**Note:** During the installation on Windows 32-bit and Mac OS you are prompted to install QuickTime to add more capabilities to Story Planner. If QuickTime is already installed on your computer, you do not need to install it again.

If the Story Planner presentation fails to start, you can install Story Planner by running manually the installer in the following way:

- For Windows 32-bit OS version, browse the CD-ROM for the **Win\Story Planner PRO 3.4** folder and run the **setup.exe** file.
- For Windows 64-bit OS version: browse the CD-ROM for the Win64\ Story Planner PRO 3.4 folder and run the setup.exe file.
- For Mac: browse the CD-ROM for the **Mac** folder and run the **Story Planner PRO 3.4 Installer** file.

#### **Download Installation**

When installing from a package you downloaded, you can install Story Planner by running manually the installer in the following way:

• For Windows, unzip the file you downloaded, and run the **setup.exe** file available in the unzipped folder.

• For Mac, unzip the file you downloaded, and double-click the unzipped file.

## Licensing

When you install Story Planner a temporary license will start from the day of installation and will last 30 days, with no limitations and no features disabled, including loading, saving and exporting features.

If you purchased a permanent license, it has to be activated, and will be valid only for the computer you requested the license for.

Once activated the license file, named **license.dat**, can be retrieved in **Story Planner 3.4 stuff\config** folder. Make a backup copy of your license file, as it may be useful if you need to re-install Story Planner.

#### To activate your permanent license:

Click the Activate button in the startup screen and follow the on-line instructions.

## Starting a New Storyboard

When creating a new storyboard, the following settings about the storyboard can be provided:

• From 3.4 ML version you can choose, in the preferences dialog, which language will be used as default language for the user interface (changes will take effect after re-starting the software).

• Production, Title, Episode and Episode Code sets basic informations for the storyboard. This information can be included when printing the storyboard (see Printing the Storyboard on page 57 for details), and the episode code can be included in the exported animatic for reference (see Exporting Animatics, Images and Scenes on page 69 for details).

• Timecode Offset sets a value that is added to the timecode displayed in the Timeline views, and to the timecode that can be included in the animatic (see Exporting Animatics, Images and Scenes on page 69 for details).

• Framerate affects the way the scene and panel durations are displayed and the temporization when the animatic is generated.

• Printing Resolution sets the quality, either Normal or High, of the panel sketches when printing the storyboards or the exposure sheets (see Printing the Storyboard on page 57 and Printing Exposure Sheets on page 63 for details).

• Sketch Canvas Size sets the size in pixels of the canvas available in the sketch area.

All the settings, apart from the canvas size, can be modified any time. When a new storyboard is started, only one scene made of one panel is visible in the work area. Other scenes and panels can be easily added to define the story flow (see Arranging Scenes and Panels on page 29 for details).

#### To start a new storyboard:

**1.** Choose File  $\rightarrow$  New.

**2.** Define information for the storyboard, the framerate and the sketch canvas size, then click the OK button.

📂 Storyboard Settings	
Production:	Rai Fiction/Union Contact
Title:	Friends at Earth
Episode:	Blue Gold
Episode Code:	S02E12
Timecode Offset:	0:00:00:00
Frame Rate:	25
Printing Resolution:	Normal O High
Sketch Canvas Size	
Width:	720 Height: 480
	OK Cancel


#### To modify the storyboard settings:

**1.** Choose Storyboard  $\rightarrow$  Storyboard Settings.

**2.** Define new information for the storyboard and the framerate, then click the OK button.

## **Defining the Working Environment**

Other parameters and settings are available to define the camera and the work area view mode.



As concerning the camera information, it is possible to set its resolution and A/R, also choosing from a list of predefined cameras; how it fits the

canvas in case the camera and the canvas have different A/R, and the camera default size.

**Note:** If you plan to export Story Planner scenes to Toonz, the camera resolution and A/R have to be chosen from the list of predefined cameras (see Exporting Scenes to Toonz on page 74 for details). If your camera is not available, you can add it to the list (see below).

As the canvas size defines the pixel resolution of sketches, the camera resolution defines the camera A/R and is used when generating animatics (see Generating Animatics on page 69 for details).

As concerning the work area, it is possible to choose between different views while working on the storyboard:

• Single panel view displays one large panel with a row of thumbnails below; the thumbnails can be hidden by dragging the separator in order to maximize the single panel view.

- Columns displays three vertical panels.
- Rows displays three horizontal panels.
- Thumbnails displays panels with sketches only in a grid: the number of panels per row can be set at the bottom right corner of the work area.
- Timeline Sketch view displays the sketch area of the current panel and the sequence of panels laid out horizontally together with camera and layer animations, and audio tracks.
- Timeline Preview view displays the animatic preview window and the sequence of panels laid out horizontally together with camera and layer animations, and audio tracks.

Regardless of the current view mode, the sketch area of the current panel can be also displayed in full screen mode.

#### To define camera settings:

- **1.** Choose Storyboard  $\rightarrow$  Camera Settings.
- 2. Do any of the following:

• Define the camera resolution setting the width and height values, or choosing a camera from the option menu below.

• Define the camera fit: if it is set to horizontal, the width of the camera will fit the width of the canvas; if it is set to vertical the height of the camera will fit the height of the canvas.

• Define the camera default size: if it is set to 100%, the camera will fit completely the canvas, if smaller or higher the camera size will change consequently.

3. Click the OK button.

#### To add a camera to the resolution list:

**1.** Set the camera resolution and click the + button.

2. Enter a name for the camera, then click OK.

#### To remove a camera from the resolution list:

Select the camera you want to remove and click the - button.


#### To change the storyboard view:

Do one of the following:

• Use the buttons on the left of the bottombar, or the View menu commands, to choose among the following view: Single Panel, Columns, Rows, Thumbnails, Timeline Sketch and Timeline Preview.

- Choose View  $\rightarrow$  Full Screen to display the current panel sketch area in full screen mode.

Each panel has a sketch area where the scene action can be represented with a drawing, spread on several layers, and with additional information like the camera box and movement, layer animations, arrows and text.



## Setting the Sketch Area View

The sketch area can be zoomed in, zoomed out and scrolled to better work on the sketch. It extends beyond the canvas size, so that additional elements like camera boxes and arrows can be created regardless of the canvas.

Whatever view is set in the sketch area, it is retained as the final view of the panel sketch. In this way the view is not tied neither to the canvas size nor to the camera box, but you are free to set it the way you prefer.

#### To navigate the sketch area:

Do any of the following:

- To pan the sketch area select the Hand tool [  $\frac{49}{2}$ ], then click and drag, or click and drag with the middle-mouse-button.

- To zoom the sketch area select the Zoom tool [  ${\bf Q}$  ], then click and drag up to zoom in, down to zoom out, or use the mouse wheel.

- To rotate the sketch area select the Rotate tool [ ], then click and drag.

#### To fit the sketch area view to the camera:

**1.** Select the panels for which you want to fit the sketch area view to the camera (see Arranging Scenes and Panels on page 29 for details).

2. Choose View  $\rightarrow$  Fit to Camera. If two camera positions are defined in the sketch area, the sketch area resizes so that both will be fully visible.

**Note:** If no panel is selected, the command will be applied to the current panel.

#### To fit the sketch area view to one of the camera boxes in one panel:

**1.** Select the camera to which you want to fit the sketch area view (see Setting the Camera Box and Animation on page 35 for details).

**2.** Choose View  $\rightarrow$  Fit to Camera.

#### To fit the sketch area view to the canvas:

**1.** Select the panels for which you want to fit the sketch area view to the canvas (see Arranging Scenes and Panels on page 29 for details).

**2.** Choose View  $\rightarrow$  Fit to Canvas.

**Note:** If no panel is selected, the command will be applied to the current panel.

#### To reset the sketch area rotation:

**1.** Select the panels for which you want to reset the sketch area rotation (see Arranging Scenes and Panels on page 29 for details).

**1.** Choose View  $\rightarrow$  Reset Canvas Rotation.

## **Drawing Sketches**

A set of tools is available for drawing sketches; each has some settings and four presets available:



- The Paintbrush tool [ / ], that can be defined by setting Size and Opacity.
- The Airbrush tool [ 🚀 ], that can be defined by setting Size and Opacity.
- The Pencil tool [ 🥖 ], that can be defined by setting Size and Hardness.

• The Eraser tool [ ] , that can be defined by setting Size and Opacity. If you use a graphic tablet and the pressure sensitivity is on, the tool size will be affected by the pen pressure; likewise the Eraser tool [] I will work automatically with the pen eraser.

The color used to draw can be chosen among four color swatches, and pressure sensitivity can be switched on or off when drawing with a tablet.

**Note:** When the storyboard is saved, the sketches are saved in a folder having the same name, and the same location, of the storyboard file, as PNG files with a suffix containing a series of numbers indicating the scene, panel and layer the sketch refers to (see Loading and Saving Storyboards on page 55 for details).

#### To draw a sketch:

**1.** Select a color swatch.

**2.** Select the Paintbrush [ $\checkmark$ ], Airbrush [ $\checkmark$ ] or Pencil tool [ $\checkmark$ ], and choose one of the available presets. To modify the preset, change the tool settings such as size or opacity.

**3.** Draw in the sketch area.

#### To define the color swatches:

**1.** Double-click the color swatch you want to modify to open the color selector and do one of the following:

📂 Select color	×
Basic colors	
Custom colors	Hue: 200 Red: 0 Sat: 255 Green: 170 Val: 255 Blue: 255 Add to Custom Colors

- Select a color in the basic color list.
- Select a color in the custom color list.
- Select a color using the spectrum or by defining the RGB or HSV values. If you click the Add to Custom Color button the current color will be added to the custom color list.
- 2. Click OK.

#### To retrieve a color from a sketch:

- 1. Select the color swatch you want to modify.
- 2. Select the Picker tool [ 🎤 ].
- 3. Click in the sketch to pick the needed color values.

#### To erase a sketch:

Do one of the following:


- Use the Eraser tool [  ${\ensuremath{ \ensuremath{ @} \ensuremath{ } }}$  ] to erase selectively the sketch.
- Choose Edit → Clear Sketch to completely erase the sketch.
   Note: All the layers defined for the sketch are deleted when using the Clear sketch command.

#### To disable or enable the pressure sensitivity:

Click the tablet icon  $[\checkmark]$  on the left of the tool presets.

## **Using Layers**

The sketch area by default contains only the layer labelled BG (background), but other layers can be added to better manage the sketch content, for example to separate a background image from the characters.



As layers can be animated, they can be used if in the panel some animation is planned (see Transforming and Animating Layers on page 38 for details).

Layers have the same size of the canvas, and are completely transparent. They can be renamed, hidden, locked, reordered or edited with the Edit menu commands.

When drawing on a layer, a light grey bounding box highlights its content. If the layer has been transformed with the Edit tool [ ], a dark grey bounding box highlights the extent of the canvas (see Transforming and Animating Layers on page 38 for details).

**Note:** When the storyboard is saved, the sketches are saved in a folder having the same name, and the same location, of the storyboard file, as PNG files with a suffix containing a series of numbers indicating the scene, panel and layer the sketch refers to (see Loading and Saving Storyboards on page 55 for details).

#### To add a new layer:

Do one of the following:

- Click the plus button [册] on the right of the layer tabs.
- Choose Edit  $\rightarrow$  Add Layer.

## To set the current layer:

Click the layer tab.

To rename a layer: Double-click the name displayed in the layer tab, and modify it.

#### To show or hide a layer content:

Click the visibility toggle  $[\bullet]$  in the layer tab.

#### To lock a layer:

Click the lock toggle [ 🖻 ] in the layer tab.

#### To clear the content of the current layer:

Choose Edit  $\rightarrow$  Clear Layer.

#### To reorder layers:

Click the layer tab and drag it to the new position.



#### To select layers:

Do one of the following:

• Click the layer tab to select it.

• Ctrl-click (Pc) or Cmd-click (Mac) a layer tab to add it to, or remove it from, the selection.



#### To edit layers:

- **1.** Select the layers you want to edit.
- **2.** Do any of the following:
- Use the Copy command to keep the selection in memory for further operations.
- Use the Cut command to eliminate the selection and keep it in memory for further operations.

• Use the Paste command to paste the selection kept in memory after the current layer.

- Use the Delete command to delete the selection.
- Use the Merge Layers command to merge the selection on the first selected layer on the left.

**Note:** The background layer cannot be deleted.

## Importing External Images as Sketches and Layers

It is possible to import external images as sketches, or layers, and use the Story Planner drawing tools to modify them.

Supported file formats are BMP, GIF, JPG, PNG, PSD and TIF.

**Note:** Photoshop documents (PSD) can only be imported as sketches (see below).

**Note:** If the image is larger than the canvas, it is scaled down to fit the canvas size.

#### To import an external image as a sketch:

Do one of the following:

• Drag and drop the image file from a system file browser to the panel sketch area.

• Choose File  $\rightarrow$  Import  $\rightarrow$  Image as Sketch and use the browser to select one or several images to be imported: each image will be placed in a newly created panel after the current one.

#### To import an external image as a layer:

Do one of the following:

• Add a layer to the sketch, or select any of the existing layers, and drag and drop the image file from a system file browser to the panel sketch area.

• Choose File  $\rightarrow$  Import  $\rightarrow$  Image as Layer and use the browser to select one or several images to be imported: each images will be placed in a new layer in the current panel sketch.

#### Importing Photoshop Documents

Photoshop documents (PSD files) can be imported as sketches taking into account the layers the document is made of, and their layering order; text layers are considered as standard layers, while layer styles are considered only when loading the document as a single image (see below). Supported format are RGB or greyscale images, with 8 bits or 16 bits per channel.

When a Photoshop document is imported by dragging and dropping it from a system file browser to the panel sketch area, it is automatically flattened into a single image.

When a Photoshop document is imported by using the Import command, a dialog opens to set the way the document has to be imported in the storyboard. Options are the following:

• Single Image, flattens all the document layers into a single image. Only layers that were visible when the Photoshop document was saved are considered.

**Note:** Photoshop documents can be loaded as a single image only if the Maximize Compatibility option was checked when saving the original file from Photoshop. If the option was deactivated, a dummy image is displayed instead; loading and saving again the document with the option activated fixes the problem.

- Layers, loads each document layer as a sketch layer. Any layer group defined in the original document is ignored.
- Scenes, loads each document layer as a new scene.

When a Photoshop document is loaded as scenes it is also possible to set the way groups of layers have to be considered. Options are the following:

• Ignore groups, overlooks any group of layers defined in the document, and each layer is imported in a different scene.

• Expose layers in a group as layers in scene, creates for each group a scene containing each layer of the group as a layer. If a group contains other groups, they will be ignored.

#### To import a Photoshop document as a sketch:

Do one of the following:


• Drag and drop the document from a system file browser to the panel sketch area.

• Choose File  $\rightarrow$  Import  $\rightarrow$  Image as Sketch and use the browser to select one or several Photoshop documents to be imported, then set the way the document has to be imported in the dialog that opens. Use the Apply To All button if you are importing several documents and you want to apply the same options to all of them.

## **Using the Selection Tool**

You can use the Selection tool [  $\geqslant$  ] to transform, move, rotate and scale a drawing selection. It is possible to select an area by defining a rectangular, freehand or polyline selection.

The selection is displayed with a bounding box with handles that allows you to perform some transformations; as you roll over with the cursor, it changes shape to indicate you the operations you may perform.



Selections can also be cut, copied, pasted and deleted by using the relevant command in the Edit menu. Cut, or copy, and paste works from one layer to another and from one panel to another.

#### To select an area in a drawing:

Do one of the following:

- Choose the Rectangular option [ ], then click and drag to define with a box the area you want to select.
- Choose the Freehand option [  $\fbox$  ], then click and drag to outline the area you want to select.
- Choose the Polyline option [ . , then click to outline the area you want to select by defining a series of lines; double-click to set the last line.

#### To move or transform the selection:

- **1.** Do one of the following:
- Click inside the element and drag to move it.
- Click and drag any handle to resize it freely.

• Shift-click and drag the corner handles to resize it maintaining the box proportions.

- Alt-click and drag the corner handles to resize it from the center.
- Shift-Alt-click and drag the corner handles to resize it from the center maintaining the box proportions.
- Click outside but close to the bounding box, and drag to rotate it.
- Click and drag the center handle to change the center of rotation, and the center used when Alt-scaling.

2. Click outside the bounding box to confirm the transformation.

#### To edit the selected area with the Edit menu commands:

Do any of the following:

- Use the Copy command to keep the selection in memory for further operations.
- Use the Cut command to eliminate the selection and keep it in memory for further operations.
- Use the Paste command to paste the selection kept in memory in the current layer of the current panel.
- Use the Delete command to delete the selection.

## Adding Graphical Information

Some graphical information can be added to the sketch by using the following tools:

• The Arrow tool [ ], to add arrows depicting actions taking place in the shot.

- The Type tool [  ${
m T}$  ], to add text boxes.


These graphical symbols overlay the sketch, therefore they do not affect the drawing itself, or belong to any sketch layer.

They can be hidden at any moment, in order not to interfere visually with the drawing operations, and they can be also included in the exported images or animatics.

#### To add an arrow:

- 1. Select the Arrow tool [ ].
- 2. Click and drag to define an arrow.
- 3. Operate the handles on the arrow to define the arrow shape.

**4.** In the toolbar select the thickness of the arrow border and type in some text if you want to add a label to the arrow.



#### To edit an arrow:

Do any of the following:

- Click to select it.
- Click and drag to move it.
- Operate the handles to change the arrow shape.

#### To add a text box:

- **1.** Select the Type tool [  $extsf{T}$  ].
- 2. Click and start typing text.

#### To edit a text box:

Do any of the following:

- Click to select it.
- Click and drag to move it.
- Double click to edit the text inside the box.

#### To format the text in a box:

**1.** Double-click, then select the text you want to format: the text toolbar automatically opens.

**2.** Choose the font family, size, color, style and paragraph alignment by clicking on the relevant menu and buttons in the toolbar.



#### To edit arrows and text boxes with the Edit menu commands:

- 1. Select the item you want to edit.
- 2. Do any of the following:
- Use the Copy command to keep the selected element in memory for further operations.
- Use the Cut command to eliminate the selected element and keep it in memory for further operations.
- Use the Paste command to paste the element kept in memory in the current panel.
- Use the Delete command to delete it.

#### To hide or show the symbols overlaying sketches:

Choose View  $\rightarrow$  Hide/Show Overlaying Symbols.

#### To include the symbols when exporting:

- **1.** Do one of the following:
- On Windows choose Edit  $\rightarrow$  Preferences.
- On Macintosh choose Story Planner  $\rightarrow$  Preferences.
- 2. Activate the Include Symbols When Exporting option.

# Adding Panel Information & Notes

Each panel has a header with basic information and an area reserved to written notes, divided into labelled captions.


A notepad is also available for writing down additional notes, or storing a long piece of text.

## **Editing Header Information**

The panel header contains basic information about the following:

- Scene and panel numbering.
- Panel duration.
- Two fields for adding any written note that may be required.

The scene and panel numbering are automatically updated according to the scene and panel positions: the way the numbering is displayed can be defined in the Preferences.



The panel duration can be expressed in different formats, such as frames or seconds and frames, and can be edited for each panel. The format and the default panel duration, assigned to any new panel, can be set in the preferences as well.

**Note:** The storyboard duration up to the current panel, and the total duration are displayed on the right of the interface bottom bar.

#### The set the panel numbering mode:

- **1.** Do one of the following:
- On Windows choose Edit  $\rightarrow$  Preferences.
- On Macintosh choose Story Planner  $\rightarrow$  Preferences.
- 2. Choose an option in the Scene Numbering option menu.

#### To set the panel duration:

Select the value you want to edit, and type a new value.

#### To set the duration display mode:

- **1.** Do one of the following:
- On Windows choose Edit  $\rightarrow$  Preferences.
- On Macintosh choose Story Planner  $\rightarrow$  Preferences.
- 2. Choose an option in the Duration Format option menu.

📁 Preferences		? ×
Scene Numbering:	Scene Number . Panel Number / Total Number	Ŧ
nel Duration Format:	SS:FF	-
fault Panel Duration:	00: 05	
Undo Levels:	25 Changes will take effect the next time you start Story Planner	
QuickTime Animatic	Include Symbols When Exporting	
	✓ Include Timecode	
	✓ Include Scene Timecode	
	▼ Include Episode Code	
	✓ Include Scene Numbering	
Information Position:   Bottom  Top		
Start Camera Color:	R: 0 G: 0 B: 255	
End Camera Color:	R: 255 G: 0 B: 0	
	OK Cancel	

#### To set the default panel duration:

- **1.** Do one of the following:
- On Windows choose Edit  $\rightarrow$  Preferences.
- On Macintosh choose Story Planner  $\rightarrow$  Preferences.
- **2.** Type in the Default Panel Duration value.

## **Editing Captions**

Captions are available to add written notes to each panel, such as dialogue, sound FX, director's notes, etc.

Captions have a label, and they can be expanded or collapsed; they can also be added or removed. Each change in the caption arrangement is

reflected in all of the other panels as well: in other words, captions are arranged the same for each panel.

Text in the captions can be formatted by defining the font, size, color, style and alignment; it is also possible to format the text written in all the captions globally, or in the selected panels.

A sketch note can be added as well to have an area where comments can be drawn. The sketch note is handled as a standard sketch: it is possible to use tools to draw and to navigate it. The sketch note is added to the current panel only.

#### To write text in the caption area:


Click in the caption area and type some text.

#### To format the caption text:

**1.** Select the text you want to format.

**2.** Click the arrow that is displayed on the right of the selection to open the text toolbar.

**3.** Choose the font family, size, color, style and paragraph alignment by clicking on the relevant menu and buttons in the toolbar.



#### To format globally the caption text:

**1.** Choose Storyboard  $\rightarrow$  Set Captions Style.

**2.** In the dialog that opens activate the text property that you want to change, and set a value for it; properties that are not activated will not be modified and will remain as they are.

**3.** Activate the Apply Changes to Selected Panels option to format text only in selected panels and not globally.

**4.** Click the OK button.



#### To copy a format from some text to some other:

- 1. Select the text whose format you want to copy.
- 2. Select the text to which you want to apply the copied format.
- **3.** Click the selected text.

#### To import some text from an external file:

**1.** Open the file with a text editor.

**2.** Select the text you want to import and drag and drop it to the text caption area.

#### To expand or collapse a text caption:

Click on the arrowhead on the left of the caption title bar.

#### To reorder text captions:

Click the handle at the center of the caption title bar where a handle is displayed, and drag it to the new position.

#### To rename a text caption:

Double-click the caption label and type the new name.

#### To add a new text caption:

Click on the option button [**\***] on the right of any caption title bar and choose Add Text Caption from the menu that opens.

#### To remove a text caption:

Click on the option button [1] on the right of any caption title bar and choose Remove Caption from the menu that opens.

#### To add a sketch note to the current panel:

Click on the option button [**\***] on the right of any caption title bar and choose Add Sketch Note from the menu that opens.

## **Importing a Final Draft Script**

Scripts created with Final Draft, the application specifically designed for writing movie scripts, television episodics, and stageplays, can be imported in Story Planner automatically defining the story flow with scenes and panels, and filling the caption areas with the related content. Information available in the Final Draft file (FDX format) will be used in Story Planner in the following way:

• Each scene heading defines a new scene.

The scene title is imported in the first note field of the panel header.

• The scene description, containing information about where and when the scene takes place, is imported in the second note field of the panel header.

• The action, containing screen directions that tell what is happening in the scene, is imported in the first caption area, automatically labelled Action; every time a new action is found in the same scene, a new panel will be added to the scene with the related dialogue, transition and shot information (see below).

• The dialogue, containing information about the character talking, directions which precede or follow dialogue, and the dialogue itself, is imported in the second caption area, automatically labelled Dialogue.

• The transition and shot, containing information about how the passage between scenes takes place and which is the camera angle, camera movement or direction within a scene, is imported in the third caption area, automatically labelled Transition & Shot.

**Note:** When a Final Draft script is imported it replaces automatically the current Story Planner project.

#### To import a Final Draft Script:

**1.** Choose File  $\rightarrow$  Import Final Draft Script.

**2.** In the browser that opens retrieve the script you want to import, then click the Open button.

## Using the Notepad

The Story Planner notepad can be used for writing down some text, such as additional notes or a long piece of text, that is saved along with the storyboard and that can be easily retrieved.



For instance it is possible to use the notepad to import a script or a screenplay, from where dialog lines can be copied to the caption areas. The text in the notepad can be edited and formatted as the text in the caption (see Editing Captions on page 22 for details).

#### To open the notepad:

Choose Windows  $\rightarrow$  Notepad.

#### To import text into the notepad:

**1.** Open the original document with the relevant application, then select and copy the text.

2. Click in the notepad, and paste the copied text.

#### To copy some text from the notepad to the captions:

**1.** Select the text in the notepad and copy it.

2. Click in the caption area and paste the copied text.

#### To format written text:

1. Select the text you want to format.


**2.** Click the arrow that is displayed on the right of the selection to open the text toolbar.

**3.** Choose the font family, size, color, style and paragraph alignment by clicking on the relevant menu and buttons in the toolbar.

## **Arranging Scenes and Panels**

A storyboard is organized in scenes, each scene can be made of one or more panels.

When a scene is made of one single panel, all panel corners are cropped. When a scene is made of several panels, only the left corners of the first panel and the right corners of the last panels are cropped. In this way the sequence of scenes and panels is easier to read.



Scenes and panels can be added, removed, and rearranged, bringing the sketch and the notes along.

The scene and panel sequence is reflected in the numbering displayed in the panel header (see Editing Header Information on page 21 for details).

#### To add a new scene:

**1.** Select a panel in the scene after which you want to add a new scene.

**2.** Choose Storyboard  $\rightarrow$  Add Scene, or click the Add Scene button in the toolbar.



#### To add a new panel to a scene:

1. Select the panel after which you want to create a new panel.

**2.** Choose Storyboard  $\rightarrow$  Add Panel, or click the Add Panel button in the toolbar.



#### To change the current panel:

Do one of the following:

• Click the panel.

• Use the arrow keys to set as current the panel on the right or on the left (single panel, columns and thumbnails view), and at the top and at the bottom (rows or thumbnails view) of the current one.

#### To select scenes and panels:

Do any of the following:

- Click a panel to select it.
- Double-click a panel to select all of the scene the panel belongs to.

• Ctrl-click (Pc) or Cmd-click (Mac) to add a panel to, or remove it from, the selection; Ctrl-double-click (Pc) or Cmd-double-click (Mac) to add a scene to the selection.

• Shift-click to extend the selection to a specific panel;

Shift-double-click to extend the selection to a specific scene.

#### To navigate scenes and panels:

Do one of the following:

• Click the One Panel Forward or One Panel Back button on the right of the bottombar to move at one panel step.

• Click the One Page Forward or One Page Back button on the right of the bottombar to move at one page step, according to current view mode.

#### To change the order of panels in columns or rows view:

Do one of the following:

- In the columns view click the handle at the top of the panel header and drag it to the new position.
- In the rows view click the handle on the left of the panel and drag it to the new position.

# To change the order of panels and scenes in thumbnails and single panel views:

1. Select the panels and scenes you want to move.

- 2. Click any of the selected thumbnail and drag it to the new position.
- **3.** When releasing do one of the following:
- Release when the mark between two panels is highlighted to move the selected scenes and panels as they are in the new position.



• Release when the mark at the side of a panel is highlighted to move the selected scenes and panels by joining them to the panel. Released scenes and panels will be joined on the side of the highlighted mark.



#### To read the total scene duration:

Do any of the following:

• In the columns or rows view hover the cursor over the duration section of any panel belonging to the scene: the scene duration will be displayed in a tooltip.

• In the thumbnails and single panel view hover the cursor over any panel belonging to the scene: the scene duration will be displayed in a tooltip.

#### To edit scenes and panels with the Edit menu commands:

- 1. Select the scenes and panels you want to edit.
- **2.** Do any of the following:
- Use the Copy command to keep the selection in memory for further operations.
- Use the Cut command to eliminate the selection and keep it in memory for further operations.
- Use the Paste command to paste the selection kept in memory after the current panel.
- Use the Delete command to delete the selection.

#### Joining and Separating Panels

Selected panels can be joined in a single scene, or can be separated from the scene they belong to.

When joined, selected panels will be separated from any scene they might already belong to, and will create a new scene located where the first panel of the selection was.

When separated, selected individual panels will create a new scene each, while selected adjacent panels will be joined in a new scene.

#### To join selected panels in a scene:

**1.** Select the panels you want to join.

**2.** Choose Storyboard  $\rightarrow$  Join Panels, or click the Join Panels button in the toolbar.

#### To separate selected panels from the scene they belong to:

**1.** Select the panels you want to separate.

**2.** Choose Storyboard  $\rightarrow$  Separate Panels, or click the Separate Panels button in the toolbar.

#### **Merging and Splitting Panels**

Selected panels can be merged into a single panel, or it is possible to split one panel into two.

When merged, selected panels will be replaced by a single panel having the sketch of the current panel, and the captions of all the merged panel, from the first to the last one of the selection, in the related caption areas.

When split, a new panel will be added having the same sketch and captions of the split one, except the selected caption text that will be removed from the original panel and moved to the added one.

**Note:** If you select only some words in the caption text, the selected words and all the following text in the caption area will be considered as selected.

#### To merge selected panels:

**1.** Select the panels you want to merge, and set as current the panel whose sketch you want to retain.

**2.** Choose Storyboard  $\rightarrow$  Merge Panels.

#### To split a panel:

**1.** In the panel you want to split select the caption text that you want to remove from the original panel and move to the added one.


**2.** Choose Storyboard  $\rightarrow$  Split Panel.

## Setting Camera and Layer Animations

## Setting the Camera Box and Animation

The Camera tool [ ) can be used to resize and position the camera box.

Two different camera boxes can be defined, one for the starting and the other for the ending position. The camera colors and labels for the starting and ending positions can be customized. Arrows connecting the camera boxes corners tell the direction of the movement. The movement by default is linear, but it can edited to create a curved motion path.



Cameras can also be copied and pasted from one panel to another, and their positions in subsequent panels can be linked: in this way it is possible to create seamless movements spreading on several panels. When generating an animatic the defined camera shot will be used to expose the sketch; if a camera movement is defined, the camera will be automatically animated between the starting position, that will be used at the beginning of the panel exposure, and the ending position, visible at the end, according to the defined motion path. The speed and timing of the camera animation can be controlled in the timeline (see Controlling the Camera and Layer Animations on page 48 for details).

#### To define the camera shot and movement:

1. Choose the Camera tool [ 🎒].

- 2. Define the camera box by doing the following:
- Click and drag any square handle to resize it.
- Click and drag the round handle on the right side of the camera box to rotate it.
- Click the camera center and drag to move it.

**3.** Click and drag in the sketch area to define a second position for the camera.

4. Operate the handles on the second camera box to define it.

**5.** In the toolbar type in some text if you want to add a label for the camera starting and ending positions.

**Note:** The center handle of the two camera boxes can be distinguished by an arrow label that for the camera starting position is placed on the right, and for the ending one, on the left.

#### To move both the cameras at the same time:

Ctrl-click (Pc) or Cmd-click (Mac) and drag the line connecting the centers of the two camera positions.

#### To edit the camera motion path:

Click and drag the line connecting the centers of the two camera positions.

#### To select a camera:

- 1. Choose the Camera tool [ 鉤].
- 2. Select the panel whose camera you want to select.

#### To edit the selected camera with the Edit menu commands:

Do any of the following:

- Use the Copy command to copy the camera.
- Use the Paste command to paste the copied camera in the current panel.
- Click one camera box to select it, and use the Delete command to delete it.
- Use the Reverse Animation command to reverse the camera animation.
- Click one camera box to select it, and use the Reset Rotation command to reset its rotation.

• Use the Reset Animation command to reset the camera animation. **Note:** If only one camera box is defined, when you delete it the camera box returns to its default size and position.

#### To hide or show the camera box:

Choose View  $\rightarrow$  Hide/Show Overlaying Symbols.

#### To include the camera box when exporting:


- **1.** Do one of the following:
- On Windows choose Edit  $\rightarrow$  Preferences.
- On Macintosh choose Story Planner ightarrow Preferences.
- 2. Activate the Include Symbols When Exporting option.

## To create a seamless camera movement on several panels:

- **1.** Define the starting and ending positions in the first panel.
- 2. Do one of the following:

• Click the link button available at the top right corner of the end camera box to automatically set the camera starting position in the following panel.

• Click the link button available at the top right corner of the start camera box to automatically set the camera ending position in the previous panel.



**Note:** When camera positions are linked, moving and editing one of the linked camera automatically affect the other one. Camera positions can be unlinked by clicking again the related link button.

#### To define the colors of the start and end camera boxes:

- **1.** Do one of the following:
- On Windows choose Edit  $\rightarrow$  Preferences.
- On Macintosh choose Story Planner  $\rightarrow$  Preferences.

**2.** In the Camera Color section set the Starting and Ending Position colors by defining red, green and blue values for any of them.

## **Transforming and Animating Layers**

Sketch layers can be transformed by changing their position, scale and rotation. They can also be animated by setting different starting and ending positions.

An arrow connecting the centers of the layer bounding box at the two positions tells the direction of the movement. The movement by default is linear, but it can be edited to create a curved motion path. The layer position displayed in the panel sketch is the last one you visualized with the Edit tool [ ].

When generating an animatic the layer will be automatically animated between the starting position, that will be used at the beginning of the panel exposure, and the ending position, visible at the end. The speed and timing of the layer animation can be controlled in the timeline (see Controlling the Camera and Layer Animations on page 48 for details).


**Note:** When a layer is transformed, a dark grey bounding box highlights the extent of the layer canvas.

#### To define the layer starting position:

**1.** Choose the Edit tool [  $\searrow$ ] and select the Starting Position option [  $\Longrightarrow$ ]: in the sketch area the layer bounding box is displayed.

2. Define the layer position by doing the following:

- Click and drag any square handle of the bounding box to resize it.
- Shift-click and drag any square handle to resize it by maintaining the proportions.
- Click and drag the round handle on the right side of the bounding box to rotate it.



• Click inside the bounding box and drag to move it.


#### To define the layer ending position:

**1.** Choose the Edit tool [] and select the Ending Position option []: in the sketch area the layer bounding box is displayed.

- **2.** Define the layer position by doing the following:
- Click and drag any square handle of the bounding box to resize it.
- Shift-click and drag any square handle to resize it by maintaining the proportions.

• Click and drag the round handle on the right side of the bounding box to rotate it.

• Click inside the bounding box and drag to move it.



#### To edit the layer motion path:

Click and drag the line connecting the centers of the layer bounding box at the two positions.

#### To visualize the starting or ending layer position in the sketch:

Choose the Edit tool [  $\searrow$  ] and do one of the following:

- select the Starting Position option to visualize the starting position.
- Select the Ending Position option to visualize the ending position.

## To edit the layer position with the Edit menu commands:

Do any of the following:

- Use the Reverse Animation command to reverse the layer animation.
- Use the Reset Rotation command to reset the rotation of the currently displayed layer position.

• Use the Reset Animation command to reset the layer animation.

To hide or show the movement direction arrow: Choose View  $\rightarrow$  Hide/Show Overlaying Symbols.

#### To include the movement direction arrow when exporting:

- **1.** Do one of the following:
- On Windows choose Edit  $\rightarrow$  Preferences.
- On Macintosh choose Story Planner  $\rightarrow$  Preferences.
- 2. Activate the Include Symbols When Exporting option.

#### To create a seamless layer animation on several panels:

- 1. Define the starting and ending positions in the first panel.
- 2. Copy the layer and paste it in the second panel.

**3.** In the second panel reverse the layer animation, and define a new ending position.

## **Previewing Animations**

Animations created for the camera and layers, together with the panel timing, can be checked on the fly in the preview window.

The window displays a timecode and contains controls to play, loop, pause, go to the beginning or end, and move one frame forward or backward.



The content of the preview refers to the currently selected panels; if no panel is selected, it refers to the current panel only.

#### To open the preview window:

Choose Windows  $\rightarrow$  Preview.

#### To resize the preview window:

Do one of the following:

- Click and drag the window borders and corners to resize the window freely.
- Double-click inside the window to fit the window to the preview.

#### To check the preview content:

Use the control buttons available in the bottom bar.

#### To preview specific panels:

**1.** Select the panels you want to preview (see Arranging Scenes and Panels on page 29 for details): the preview content updates.

**2.** Check the preview content by using the control buttons available in the bottom bar.

## Working with the Timeline

The timeline displays on a horizontal track the panels, with the order and timing defined in the storyboard, in order to control the way they will be composed in the final animatic.

Additional tracks are available for the camera and layer animations, and for adding audio clips; a preview area is available to check the final animatic before exporting.


The timeline is available both in the Timeline Sketch view and in the Timeline Preview one.

In the Timeline Sketch view the area above the timeline displays the sketch area of the panel where the current frame cursor is located: it is possible to do any editing to the sketch as in the other views, but it is not possible to view animations and transitions.

In the Timeline Preview the area above the timeline displays the animatic preview: it is possible to check the animation and the transitions exactly as they will be in the animatic, but it is not possible to edit sketches.

## Navigating the Timeline

The timeline consists of a framebar, containing the current frame cursor, a track for the panels and a track for the camera animation; additional tracks for layer animations or audio can be added (see below).



#### To modify the current frame:

Do one of the following:

- Click and drag the current frame along the framebar.
- Click the framebar at the desired frame.
- Click a panel in the track to set the current frame at the beginning of the panel.
- Use the control buttons available in the interface bottom bar.

#### To scroll the timeline:

Use the scrollbar available at the bottom of the timeline.

#### To zoom in or out the timeline:

Do one of the following:

• Use the zoom slider available in the interface bottom bar: drag left to zoom in, right to zoom out.

• Use the mouse wheel.

**Note:** The zoomed in or out area is ruled by the position of the current frame cursor.

## **Using the Preview**

The preview area is available in the Timeline Preview, and it displays the current frame, according to the current camera position, all the animations defined for the camera and for the layers, and all the transitions.

Unlike the preview window that you can open from the Windows menu, when the animatic is previewed in the Timeline Preview area, all the files loaded in the audio tracks will be played back with the animation.

#### To resize the preview area:

Drag up or down the horizontal separator dividing the preview window and the timeline.

#### To check the preview:

Use the current frame cursor or the control buttons available in the timeline bottom bar.

## **Editing Panels**

Panels are displayed in the panel track according to the order set in the storyboard, and the duration set in each panel header. If the panel strip is long enough, a sketch icon is displayed at its center.

In the panel track, the duration of each panel can be easily changed by resizing the panel strips. This is very useful when you need to put the panel sketches and animation in sync with audio tracks.

**Note:** When resizing panels it is possible to move along the audio clips imported in the audio tracks by activating the Link Audio Tracks option (see Working with Audio Tracks on page 49 for details).

#### To resize a panel duration:

Do one of the following:

• Click the ending of the panel in the panel track and drag to set a new duration: all subsequent panels will shift accordingly.



• Ctrl-click (Pc) or Cmd-click (Mac) the ending of the panel in the panel track and drag to set a new duration: the following panel resizes as well, and all subsequent panels will not shift.

#### To quickly preview a panel:

Double-click it in the panel track.

## **Controlling the Camera and Layer Animations**

By default the camera and the layer animations defined in the sketch area start at the first panel frame and end at the last one, and have a constant speed.

The animation tracks on the timeline allow you to control the starting and ending frame of the movement, and its speed.

Each separate animation is displayed with a strip that can be resized to set the starting and ending frame of the movement: before the starting frame the camera, or the layer, will keep the starting position; after the ending frame they will keep the ending position.

The strip contains two markers to set the ease in (i.e. acceleration) and ease out (i.e. deceleration) of the movement.

#### To show/hide animation tracks:

Click the option button [>] on the left of the framebar, and select the animation tracks to show, or deselect those to hide, in the menu that opens.

**Note:** The number of available layer animation tracks depends on the maximum number of layers animated in one panel.

#### To set the start or end frame of the animation:

Do one of the following:

• Click and drag the beginning of the animation strip to set the animation start frame.



• Click and drag the ending of the animation strip to set the animation end frame.

#### To set the ease in / ease out sections of the animation: Do one of the following:

• Click and drag the vertical marker available at the beginning of the animation strip to set the ease in section.



• Click and drag the vertical marker available at the end of the animation strip to set the ease out section.

## Working with Audio Tracks

Audio tracks can be used to sync the panel timing and animations with imported audio clips.

When the animatic is previewed, all the audio clips imported into the audio tracks are played back; when exported, they are merged to form the animatic sound track.

#### **Editing Audio Tracks**

Audio tracks can be added and arranged in the timeline. Each track has a header containing the volume control, and a loudspeaker icon to enable or disabled its content when the preview is played back or the animatic is exported.



Tracks can be hidden, cleared, removed or rearranged by using the related commands.

Audio tracks can also be linked to the panel track, so that any resizing performed in the panel track will move along all the audio clips imported into the audio tracks as well.

#### To create a new audio track:

Choose Audio  $\rightarrow$  Add Track.

#### To show/hide audio tracks:

Click the option button [ ] on the left of the framebar, and select the audio tracks to show, or deselects those to hide, in the menu that opens.

#### To select an audio track:

Click the header on the left of the track.

#### To set the volume of an audio track:

Set the volume value in the header of the track.

#### To enable or disable the audio track:

Click the loudspeaker button in the header of the track.

#### To edit audio tracks with the Audio menu commands:

- 1. Select the audio track you want to edit.
- **2.** Do any of the following:
- Choose Remove to remove the audio track and its content.
- Choose Clear to empty the audio track.
- Choose Move Track Up to swap its place with the track above.
- Choose Move Track Down to swap its place with the track below.

#### To link audio tracks to the panel track:

Activate the Link Audio Tracks option in the timeline bottom bar.

#### **Editing Audio Clips**

Audio clips can be imported and composed into audio tracks; once loaded the clips are displayed with a series of visible sound waves to make the editing job easier. Supported file formats are uncompressed WAV and AIFF at 8 and 16 bit.

Clips can be moved in the track or to a different track, and can be trimmed to select a part of the whole clip. They can also be edited or duplicated by using the standard Edit menu commands, or split into more clips.

Clips in the same track cannot overlap: if a clip is already in the track at the insertion point of a newly imported or pasted clip, it will be automatically trimmed to make room for the new one.

**Note:** If a clip is completely replaced by the newly imported or pasted clip, it will be eliminated.

When a clip is trimmed, the trimmed part is not eliminated, but hidden, and it has a colored vertical marker at its starting or ending, according to where it was trimmed: it is possible to retrieve the trimmed part by moving back the markers. When a clip is split, no new clip is created: the clip is automatically duplicated and trimmed to create the split result.

**Note:** When the storyboard is saved, the imported audio clips are saved and as WAV files in a folder having the same name, and the same location, of the storyboard file (see Loading and Saving Storyboards on page 55 for details).

#### To import an audio clip:

**1.** Select the audio track and set the frame where you want to place the audio file.

**2.** Choose Audio  $\rightarrow$  Import Clip.

**3.** In the browser that opens retrieve the clip you want to load, then click the Open button.

#### To play an audio clip back:

Do any of the following:

- Double-click it to play it back.
- Click it to stop the playback.

#### To scrub an audio clip:

- **1.** Select the track the clip belongs to.
- 2. Move the current frame cursor on the framebar.

#### To select audio clips:

Do any of the following:

- Click a clip to select it.
- Ctrl-click (Pc) or Cmd-click (Mac) to add a clip to, or remove it from, the selection.
- Shift-click to extend the selection to a specific clip by selecting all in-between clips in the same track.

• Alt-click to select all the clips in a track starting from the one you click.

• Ctrl-Alt-click (Pc) or Cmd-Alt-click (Mac) to add to, or remove from, the selection all the clips in a track starting from the one you click.

#### To move an audio clips selection:

**1.** Select the clips you want to move.

2. Click and drag them to the new position or to a different track.

Audo 1 \$18. way \$218. way

**Note:** It is possible to move a selection only inside the available tracks.

#### To edit audio clips with the Edit menu command:

- 1. Select the clips you want to edit.
- 2. Do any of the following:
- Use the Copy command to keep the selection in memory for further operations.
- Use the Cut command to eliminate the selection and keep it in memory for further operations.
- Use the Paste command to paste the selection kept in memory starting from the current frame in the selected track.
- Use the Delete command to delete the selection.

#### To trim an audio clip:

Do any of the following:

• Click and drag the starting of a clip to trim its starting part.



• Click and drag the ending of a clip to trim its ending part.

• Click and drag the marker of a trimmed clip to redefine the trimmed part.

#### To split an audio clip:

- 1. Select the track containing the clip you want to split.
- 2. Use the current frame cursor to set the split point.
- **3.** Choose Audio  $\rightarrow$  Split Clip.

## **Adding Transitions**

Basic transition effects can be added when changing the view from one panel sketch to the next.

Available transitions are the following:

• Dissolve gradually replaces the first sketch with the second one, whose visibility increases from full transparent to full opaque.

- Wipe Left gradually replaces the first sketch with the second one, with a distinct vertical edge moving from left to right.
- Wipe Right gradually replaces the first sketch with the second one, with a distinct vertical edge moving from right to left.

• Fade In (Black) gradually increases the visibility of the sketch to which it is applied from black.

• Fade in (White) gradually increases the visibility of the sketch to which it is applied from white.

• Fade Out (Black) decreases the visibility of the sketch to which it is applied to black.

• Fade Out (White) decreases the visibility of the sketch to which it is applied to white.



An added transition is represented as a strip located at the top of the panel track, at the beginning or at the end of the panel it refers to. By editing the strip it is possible to define the duration of the transition, that is displayed as a tooltip on the transition strip.

#### To add a transition:

- **1.** Select the panel that has to be affected by the transition.
- **2.** Choose the transition you want to add in the Transition menu.

#### To read the transition:

Hover the cursor over the transition strip: the duration will be displayed in a tooltip.

#### To set the duration of the transition:

Click and drag the endings of the transition strip: while dragging a tooltip displays the duration of the transition.

**Note:** In case of the dissolve, wipe left and wipe right transitions, the tooltip displays the duration of the transition on the panel and the total duration of the transition.

#### To delete a transition:

- **1.** Select the transition strip by clicking it.
- **2.** Choose the Edit  $\rightarrow$  Delete command.

## Loading and Saving Storyboards

Storyboards files can be loaded and saved from the File menu. They are saved as TSB files, while sketches and imported audio files are saved as PNG and WAV files in a folder having the same name, and the same location, of the storyboard file.

By browsing this folder it is possible to retrieve the storyboard sketches and audio files if needed. The sketch files are named as the storyboard with a suffix of three series of digits referring to the scene number, panel number and layer number. Audio files preserve their original naming.

When a storyboard file is saved, automatically the previously saved version will be renamed with a BCK extension and will be available as a backup for your work. If a backup file already exists, the new backup file overwrites it.

**Note:** In the storyboard folder, panel sketches are named as the scene with a suffix containing a series of numbers indicating the scene, panel and layer the sketch refers to; exposure sheet sketches are named as the scene with a \_xsheet suffix followed by a series of numbers indicating the scene and the page the sketch refers to.

**Note:** It is possible to reuse full sketches from one storyboard to another by using the Export command (see Exporting Sketches on page 73 for details).

#### To load a storyboard:

Do one of the following:

- Choose File  $\rightarrow$  Load and use the browser to retrieve the storyboard you want to load.

Choose File → Open Recent Files to load one of the last four used files.
 Note: Storyboards created with Story Planner PRO cannot be loaded in the Story Planner standard version.

#### To save a storyboard:

Choose File  $\rightarrow$  Save As and use the browser to choose a name and a location for the storyboard you want to save.

#### To retrieve storyboard sketches and audio files:

**1.** Navigate with a system file browser to the folder where you saved the storyboard.

**2.** Retrieve the sketches and audio files in the folder with the same name as the storyboard.

#### To recover a backup file:

Change the extension of the backup file from BCK to TSB by renaming it.

Storyboards created with Story Planner can be printed out on paper or as PDF files.

### **Printing Storyboards**

When printing the storyboard you can choose a template layout to organize the storyboard elements on a page. The layout will be used for all the generated pages.

Sketch	Rends at: Beth Illater Dops			
Sketch Note	a.48			
alogue and Sou		P#2 14 2 00.00 2		P#3 14 2 000 3
cene Description	1	2		3
Panel Number	Sketch	Sketch		Sketch
Note 1				
Note 2				
Duration				
Page Number	1	2	1	3
Partial Duration	Dialogue and Sound FX	Dialogue and Sound FX		Dialogue and Sound FX
Total Duration		-		
Production	1	2		3
Title	Scene Description	Scene Description		Scene Description
Episode	1	2		3
Episode Code				
Text				

A series of templates are provided with the software, but it is possible to customize them, or to create new templates from scratch.

**Note:** The printing quality of the panel sketches can be set in the StoryBoard Settings (see Starting a New Storyboard on page 5 for details).

#### To print the storyboard:

- **1.** Do one of the following:
- Choose Windows  $\rightarrow$  Page Layout.

• Choose File  $\rightarrow$  Print.

**2.** In the Page Layout window, choose File  $\rightarrow$  Load and choose a page layout.

**3.** Do one of the following:

- Select File  $\rightarrow$  Print to send the storyboard to a printer.
- Select File  $\rightarrow$  Print to PDF to generate a PDF file.

## **Defining Page Layouts**

When editing a layout template, you can choose the page format, and define the size and the position of all the storyboard elements. A grid is also available as reference: the grid size can be set, and page elements will automatically snap to it.

Elements available to define the layout are the following:

- The panel sketch.
- The sketch note, if there are any.
- Captions, displayed with the caption titles of the current storyboard.
- The panel number, notes and duration as displayed in the panel header, whose text can be formatted.
- The page number, that will be increased automatically, whose text can be formatted.
- The partial duration, displaying the storyboard duration up to the last panel displayed in the page, whose text can be formatted.
- The total duration, displaying the storyboard total duration, whose text can be formatted.
- The production, title, episode and episode code information as defined in the Storyboard Settings, whose text can be formatted.
- A text box, where you can type and format information that will appear on all of the pages (e.g. the company name).
- An image box, where you can place an image that will appear on all of the pages (e.g. the company logo).

To create several similar elements, each element has to be placed several times in the same page. For example to organize three panels on a page, you have to add three sketch elements (the number indicates the progressive order), three caption elements, three panel number elements, and so on. Once a layout is defined, you have to save it to make it available after you quit Story Planner, as the layout is not linked to a specific storyboard but is an independent file in TLY format that can be used again and again.

#### To open the Page Layout window:

Do one of the following:

- Choose Windows  $\rightarrow$  Page Layout.
- Choose File  $\rightarrow$  Print.

#### To navigate the work area:

1. To pan the work area do one of the following:

- Select the Hand tool [ "], then click and drag.
- Click and drag with the middle-mouse-button.
- 2. To zoom the work area do one of the following:
- Select the Zoom tool [  $\mathbb{Q}$  ], then click and drag up to zoom in, down to zoom out.
- Use the mouse wheel.

#### To choose the page size and margins:

In the Page Layout window choose File  $\rightarrow$  Page Setup.

Page Setup	2 X
Paper	
Size: A	4
Source:	uto Select
Orientation	Margins (millimeters)
C Portrait	Left: 4,23 Right: 4,23
C Landscape	Top: 4.23 Bottom: 4.23
	OK Cancel Printer

#### To add an element to the layout:

Drag the relevant box to the page.

#### To select layout elements:

- 1. Choose the Edit tool [ 📐 ].
- **2.** Do one of the following:
- Click an element to select it.
- Ctrl-click (Pc) or Cmd-click (Mac) to add it to, or remove it from, the selection.


#### To edit layout elements with the Edit menu commands:

- 1. Select the elements you want to edit.
- **2.** Do any of the following:
- Use the Copy command to keep the selection in memory for further operations.
- Use the Cut command to eliminate the selection and keep it in memory for further operations.
- Use the Paste command to paste the selection kept in memory into the page layout.
- Use the Delete command to delete the selection.

#### To move or transform a layout element:

- 1. Select it with the Edit tool [ 📐 ].
- **2.** Do one of the following:
- Click inside the element and drag to move it.
- Click and drag any handle to resize it freely.
- Shift-click and drag the corner handles to resize it maintaining the box proportions.
- Alt-click and drag the corner handles to resize it from the center.

• Shift-Alt-click and drag the corner handles to resize it from the center maintaining the box proportions.



#### To use the grid:

Click the Grid button []] and set a value for the grid size.

#### To format the text available in some layout elements:

**1.** Double-click, then select the text you want to format: the text toolbar automatically opens.

2. Choose the font family, size, color, style and paragraph alignment.

#### To load an image:

Double-click the image box, and in the browser that opens retrieve the image you want to load.

#### To save a layout:

1. In the Page Layout window choose File  $\rightarrow$  Save Layout.

**2.** In the browser that opens choose a name and a location for the file you want to save.

#### To load a layout:


1. In the Page Layout window choose File  $\rightarrow$  Load Layout.

2. In the browser that opens retrieve the layout file you want to load.

Information related to a storyboard can be used to create exposure sheets that can be printed and compiled by animators with references to backgrounds and animation levels for planning a 2D animation production.

### **Generating Exposure Sheets**

Exposure sheets can be generated according to the storyboard information, panel sketches, camera movements and transitions. They are generated independently for each scene defined in the storyboard, and they can consist of multiple pages according to the scene duration, with each page containing 100 frames.



The main information is retrieved from the storyboard settings and printed in the xsheet header (see Starting a New Storyboard on page 5 for details). In particular the information related to the production, title and episode are printed on the left of the header, the episode code in the triangular area, the scene number in the round area and the xsheet page number in the square area.

Sketches can be visualized in the sketch area on the left of the exposure sheet and placed at an exact frame position. Some graphical information can be added in the same area by using the standard Story Planner drawing tools, including colors and presets.

The camera information is visualized in the camera column on the right with a dot and the related camera label at the beginning of each panel; in the column cells there is a vertical straight line when the camera is still, and a wavy line when the camera is animated (see Setting the Camera Box and Animation on page 35 for details).

Transitions are displayed in the camera column as well, with a cross for the dissolve and wipe transitions, and an arrowhead for the fade in and fade out ones, both extending over the frames for as long as the transition lasts (see Adding Transitions on page 52 for details).

Some dialogue columns are available to import lip-sync information from Magpie, a professional lip-sync and animation timing tool.

The exposure sheet layout cannot be edited, apart from the interval of the marker that divides it into sections, and it is calibrated to be printed on an A3 paper format.

#### To open the exposure sheet editor:

Choose Windows  $\rightarrow$  Exposure Sheet Editor.

#### To navigate the exposure sheet editor:

- 1. To pan do one of the following:
- Select the Hand tool [ 🖑 ], then click and drag.
- Click and drag with the middle-mouse-button.
- **2.** To zoom do one of the following:
- Select the Zoom tool [  ${\bf Q}$  ], then click and drag up to zoom in, down to zoom out.
- Use the mouse wheel.

#### To navigate scene exposure sheets and pages:

Do one of the following:

• Click the Previous Scene/Next Scene button or enter a scene number on the right of the bottombar to move through the first pages of the exposure sheets.

• Click the Previous Page/Next Page button or enter a page number on the right of the bottombar to move through all the pages of the exposure sheets.

#### To set the exposure sheet marker interval:

**1.** Do one of the following:

- On Windows choose Edit  $\rightarrow$  Preferences.
- On Macintosh choose Story Planner  $\rightarrow$  Preferences.

**2.** In the Exposure Sheet Editor section set a value for the Marker Interval.

#### Editing Sketch Thumbnails

Sketch thumbnails can be added automatically at the beginning of each panel, or manually in the sketch area on the left of the exposure sheet; once added they can be resized and moved along.

The first frame of the exposure sheet where the thumbnail is located defines which is the displayed panel sketch; the thumbnail is automatically updated if you move it to an exposure sheet frame referring to a different panel.

Thumbnails are anchored to the frame where they are located even if the duration of the scenes or panels in the storyboard is changed; in case the scene is shortened, thumbnails falling outside the new scene duration are automatically deleted.

**Note:** Thumbnails are anchored to specific frames even when they are generated automatically; if the scenes or panels duration is changed and you want to update the thumbnails position, you have to generate them again.

**Note:** The sketch thumbnail refers to the panel sketch, regardless of the camera and layer animation that might be set in the panel.

# To generate automatically sketch thumbnails according to storyboard panels:

**1.** Choose Edit  $\rightarrow$  Generate Sketch Thumbnails.

- **2.** In the dialog that opens do the following:
- Choose if thumbnails have to be generated for the current scene only, all the scenes, or a specific range of scenes.
- Set the alignment of the thumbnails in the sketch area.
- Set the width of the thumbnail as a percentage of the sketch area width.
- **3.** Click the Generate button.

## To add a sketch thumbnail:

1. Select the Thumbnail tool [\_\_\_].

**2.** Click and drag in the sketch area to define the position and size of the thumbnail.

## To edit a sketch thumbnail:

Select the Thumbnail tool []] and do any of the following:

- Click and drag a thumbnail to move it to a different position.
- Click a thumbnail to select it and click and drag the handles at the bottom of the bounding box to resize it.
- Click a thumbnail to select it and choose Edit  $\rightarrow$  Delete to delete it.

# Adding Graphical and Textual Information

On the left of each page of the exposure sheet a sketch area extending for the whole height of the Action column is available for adding graphical notes.

All the tools and options available in the toolbar can be used to edit the sketch area, and in case of the Type tool [**T**] any section of the exposure sheet page, the same way they can be used to edit the panel sketch (see Drawing Sketches on page 10, Using the Selection Tool on page 17 and Adding Graphical Information on page 18 for details).

Sketch areas are related to exposure sheet pages; in case the scene is shortened, the sketch areas related to pages that no longer exist because of the new scene duration are automatically deleted.

**Note:** When the storyboard is saved, the exposure sheet sketches are saved in a folder having the same name, and the same location, of the storyboard file, as PNG files with a \_xsheet suffix followed by a series of numbers indicating the scene and the page the sketch refers to (see Loading and Saving Storyboards on page 55 for details).

### To clear the exposure sheet sketch area:

Choose Edit  $\rightarrow$  Clear Sketch.

## **Importing Magpie Files**

The dialogue columns can be used to import lip-sync information from Magpie, a professional lip-sync and animation timing tool.

The supported format is TLS (i.e. Toonz Lip Sync) that can be exported from Magpie once a script file provided with Story Planner has been copied in the proper location of the Magpie installation files.

When the lip-sync file is imported each cell of the dialog column will contain in the first row the speech text as entered in Magpie, and in the second one the phoneme detected by Magpie.

**Note:** It is possible to load only one TLS file for each exposure sheet dialogue column; if a lip-sync files is already loaded, it will be replaced by the new one.

## To export the TLS file in Magpie:

1. Copy the file export-toonz.lua available in Story Planner 3.4 stuff\ config folder into the C:\Program Files\Third Wish Software & Animation\Magpie Pro\Scripts\Export folder.

**2.** In Magpie choose File  $\rightarrow$  Export and choose Toonz among the 2D software list to export the TLS file.

## To import a Magpie file:

**1.** Choose File  $\rightarrow$  Import Magpie File.

**2.** In the browser that opens retrieve the TLS file you exported from Magpie and click the Load button.

**3.** In the dialog that opens choose the following:

• Use Frame Range to define which section of the Magpie file you want to use in the dialogue column in the exposure sheet.

• In the Expose section use the From Frame to specify the starting frame and the Column option menu to set the column where the lip-sync information has to be exposed.

**4.** Click the Import button.

#### **Printing the Exposure Sheets**

Exposure sheets can be printed by generating a PDF file that refers to the whole storyboard, a scene range or to a scene only.

Once the PDF file is generated it is possible to use the options available in your PDF reader to send it to a printer.

**Note:** The printing quality of the panel sketches can be set in the StoryBoard Settings (see Starting a New Storyboard on page 5 for details).

**Note:** The exposure sheet layout is calibrated to be printed on an A3 paper format.

#### To print the exposure sheets:

- **1.** Choose File  $\rightarrow$  Print To PDF.
- **2.** In the browser that opens choose the following:
- A location and a name for the PDF file you want to generate.
- The range of scenes that have to be included in the PDF file (the default value is from the first to the last).
- 3. Click the Print button.


# Exporting Animatics, Images and Scenes

Storyboard information can be used to generate animatics in QuickTime, AVI or Flash SWF format, and Final Cut compatible-files in the XML Interchange Format.

Storyboard sketches can be exported as image files, and scenes can be exported as a Toonz project to start the production in Toonz Harlequin or Toonz Bravo, or as a CelAction2D file.


# **Generating Animatics**

When generating an animatic, a clip is generated where each sketch is exposed according to the camera shot and the timing specified in each panel. The animations that have been defined for the camera and layers, and the transitions that have been set, will be included. Audio tracks will be merged, each one with its set volume, and included to form the animatic sound track.



Animatics can refer to the whole storyboard or to a selected range of scenes. Its resolution is based on the camera resolutions set in Storyboard  $\rightarrow$  Camera Settings (see Defining the Working Environment on page 6 for more information).

Animatics can be generated in the QuickTime, AVI and Flash SWF formats. They can include when needed drawn symbols, such as camera boxes, arrows and texts, and, in case the QuickTime or AVI format is chosen, information about the total timecode, the scene timecode, the episode code and the scene numbering.



For the QuickTime format, it is possible to define all the standard settings that a QuickTime clip has like compression codec and color depth (please refer to QuickTime documentation for more information), and also a shrink factor to have a smaller camera resolution.

For the AVI format, it is possible to define the compression codec and configure the related settings (please refer to the codecs documentation

for more information), and also a shrink factor to have a smaller camera resolution.

For the Flash SWF format, the generated file will be automatically optimized to reduce as much as possible the file size.

**Note:** The Windows 64-bit version of Story Planner does not support the MOV format because at release time QuickTime is not available for Windows 64-bit OS.

### To export an animatic:

**1.** Do one of the following:

- Choose File  $\rightarrow$  Export  $\rightarrow$  QuickTime Animatic to generate an animatic in the MOV format.

- Choose File  $\rightarrow$  Export  $\rightarrow$  AVI Animatic to generate an animatic in the AVI format.

- Choose File  $\rightarrow$  Export  $\rightarrow$  Flash SWF Animatic to generate an animatic in the SWF format.

**2.** In the browser that opens choose the following:

- A location and a name for the animatic you want to export.
- The range of scenes that have to be included in the animatic (the default value is from the first to the last).

• If you choose the QuickTime or AVI format, set a shrink value affecting the animatic resolution: 1 will use the full camera resolution, 2 half the camera resolution, and so on.

• If you choose the AVI format, set the compression codec and use the Configure button to configure the related settings.

**3.** Click the Export button.

**4.** If you choose the QuickTime format, set format options like compression codec and color depth.

## To include symbols in the animatic:

**1.** Do one of the following:

- On Windows choose Edit  $\rightarrow$  Preferences.
- On Macintosh choose Story Planner  $\rightarrow$  Preferences.

2. Activate the Include Symbols when Exporting option.

## To include the timecode in the animatic:

**1.** Do one of the following:

- On Windows choose Edit  $\rightarrow$  Preferences.
- On Macintosh choose Story Planner  $\rightarrow$  Preferences.
- **2.** In the QuickTime and AVI Animatic section do any of the following:
- Activate the Include Timecode option to include the timecode.

• Activate the Include Scene Timecode option to include the scene timecode.

## To include the episode code and the scene numbering in the animatic:

- **1.** Do one of the following:
- On Windows choose Edit  $\rightarrow$  Preferences.
- On Macintosh choose Story Planner  $\rightarrow$  Preferences.
- **2.** In the QuickTime and AVI Animatic section do any of the following:
- Activate the Include Episode Code option to include the episode code.
- Activate the Include Scene Numbering option to include the scene numbering.

# To set the position of the information in the animatic:

- **1.** Do one of the following:
- On Windows choose Edit  $\rightarrow$  Preferences.
- On Macintosh choose Story Planner  $\rightarrow$  Preferences.

**2.** In the QuickTime and AVI Animatic section set the Bottom or Top option for the Information Position.

# Generating Final Cut XML Interchange Format Files

When generating a Final Cut XML file, an XML file containing the animatic information is generated, together with a folder containing the clips which the XML files refers to, one clip for each scene.

**Note:** Clips are saved in QuickTime format for Story Planner 32-bit version and in AVI format for Story Planner 64-bit version.

The XML file can refer to the whole storyboard or to a selected range of scenes; the clips are saved in a folder with the same name as the XML file with a **\_bin** suffix. Information contained in the clips, such as the timecode or the scene numbering, are those set for the animatic (see Generating Animatics on page 69 for more information).

Once the XML file is imported in Final Cut, you will find a project named as the XML file you saved, containing a Bin folder with the clips

generated by Story Planner, one clip for each scene, and a Sequence file with the information about the way the animatic has been built.

**Note:** As the Final Cut XML Interchange Format is supported also by other software, it is possible to use this format to export animatic data to other software as well.

**Note:** The XML file refers to the clips via absolute file paths, therefore if the file and clips are moved to a different location, the XML file is not going to work. This problem can be fixed by editing the XML file with a text editor in order to set the paths to the new location.

## To export a Final Cut XML interchange format file:

**1.** Choose File  $\rightarrow$  Export  $\rightarrow$  Final Cut XML.

**2.** In the browser that opens choose the following:

• A location and a name for the file you want to export.

• The range of scenes that have to be included in the file (the default value is from the first to the last).

• A shrink value affecting the QuickTime clips resolution: 1 will use the full camera resolution, 2 half the camera resolution, and so on.

• If you are using Story Planner 64-bit version set the AVI compression codec to be used for the clips that will be generated, and use the Configure button to configure the related settings.

**3.** Click the Export button.

**4.** If you are using Story Planner 32-bit version set the QuickTime format options like compression codec and color depth for the clips that will be generated.

# **Exporting Sketches**

Storyboard sketches can be exported as PNG image files. It is possible to export all of the sketches or to specify a range of scenes.

They can also include when needed drawn symbols, such as camera boxes, arrows and texts.

The image resolution is the canvas size set for the storyboard (see Defining the Working Environment on page 6 for details).

**Note:** If the sketch contains layers, layers are merged to produce a single image.

## To export images:

**1.** Choose File  $\rightarrow$  Export  $\rightarrow$  Images.

- 2. In the browser that opens choose the following:
- A location for the images you want to export.
- The range of scenes whose sketches you want to export.

• The name for the image file, to which it will be automatically added the scene number as a three-digits suffix, and the panel number as a second three digits suffix.

**3.** Click the Export button.

## To include symbols in the exported sketches:

- **1.** Do one of the following:
- On Windows choose Edit  $\rightarrow$  Preferences.
- On Macintosh choose Story Planner  $\rightarrow$  Preferences.
- 2. Activate the Include Symbols when Exporting option.

# **Exporting Scenes to Toonz**

Storyboard scenes can be exported as scenes of a Toonz project, containing sketches, the sound track, the camera movement and the layer animations, whilst throughout preserving the timing. These scenes can be used as a starting point for defining the animation layout and starting the actual production in Toonz Harlequin or Toonz Bravo.

It is also possible to select a reference project created with Toonz to specify all the project default settings that cannot be controlled in Story Planner, and to define the project folder structure. In this case the camera resolution and A/R specified in the Toonz project will not be considered, as the camera settings specified in Story Planner will be used instead.

**Note:** To use in the Toonz project the camera A/R you defined in Story Planner, the camera resolution and A/R have to be chosen from the list of predefined cameras available in the Camera Settings dialog. If your camera is not available, you can add it to the list (see Defining the Working Environment on page 6 for details).


If no reference project is selected, the exported Toonz project will contain a folder named **scenes**, containing all the storyboard scenes you decided to export, and a folder with the same name of the scene, containing the scene sketches and layers, and the sound track.

Scene files in TNZ format are automatically numbered with a three-digits suffix referring to the scene numbering of the storyboard.

Sketches are named as the scene with a progressive three-digits suffix, and they can also include when needed drawn symbols, such as camera boxes, arrows and texts.

If layers are used, each layer is saved as a separate image file having an additional one-digit suffix. Audio files for the sound track are named as the scene, and they are generated by merging all the audio tracks and are trimmed in relation to duration of each specific scene.

The exported project can be used as part of the Toonz project database, and scenes can be easily loaded or imported in Toonz as standard Toonz scenes (refer to the Toonz Harlequin and Toonz Bravo User Guides for more details about using projects).



## To export a Toonz Project:

- **1.** Choose File  $\rightarrow$  Export  $\rightarrow$  Toonz Project.
- **2.** In the browser that opens choose the following:
- A location and a name for the project you want to export.
- The range of scenes you want to export.
- The name for the scene file, to which the scene number as a three-digits suffix will be automatically added.

• The reference Toonz project (a PRJ format file) for defining the project default settings that cannot be controlled in Story Planner, and to define the project folder structure.

**3.** Click the Export button.

# To include symbols in the sketches used in the Toonz scenes:

- **1.** Do one of the following:
- On Windows choose Edit  $\rightarrow$  Preferences.
- On Macintosh choose Story Planner  $\rightarrow$  Preferences.
- 2. Activate the Include Symbols when Exporting option.

# **Exporting Storyboards to CelAction2D**

Storyboards can be exported as a CelAction2D file in C2D format, containing sketches, the camera movement and the layer animations, whilst throughout preserving the timing. This file can be used as starting point for defining the animation layout and start actual production in CelAction2D.

When exporting storyboards to CelAction2D, all the sketches are saved in a folder having the same name, and the same location, of the C2D file.

## To export a storyboard to CelAction2D:

- **1.** Choose File  $\rightarrow$  Export  $\rightarrow$  CelAction2D.
- **2.** In the browser that opens choose the following:
- A location and a name for the file you want to export.
- The range of scenes you want to export.
- 3. Click the Export button.

## To include symbols in the sketches used in the Toonz scenes:

- **1.** Do one of the following:
- On Windows choose Edit  $\rightarrow$  Preferences.
- On Macintosh choose Story Planner  $\rightarrow$  Preferences.
- 2. Activate the Include Symbols when Exporting option.

# **Story Planner Keyboard Shortcuts**

Toolbar	Windows	Macintosh
Paintbrush [ 🖌 ]	В	В
Airbrush [ 🔏 ]	A	A
Pencil [ 🧪 ]	Р	Р
Eraser [ 🥔 ]	E	E
Picker [ 🎤 ]	К	К
Selection [ 📐 ]	S	S
Arrow [=>]	W	W
Туре [ 🍸 ]	T	Т
Camera [ 🎒]	С	С
Edit [ 🔖]	D	D
Hand [ 🖑 ]	Н	Н
Zoom [ 🔍 ]	Z	Z
Rotate [💫]	R	R
Color 1	Ctrl + 1	( <del>)</del> # + (1)
Color 2	Ctrl + 2	( <del>)</del> # + (2)
Color 3	Ctrl + 3	<b>#</b> + 3

Toolbar	Windows	Macintosh
Color 4	Ctrl + 4	<b>H</b> + 4
Preset 1	Ctrl + 5	<b>#</b> + 5
Preset 2	Ctrl + 6	(¥) + (6)
Preset 3	Ctrl + 7	<b>H</b> + 7
Preset 4	Ctrl + 8	<b>#</b> + 8

Menu Commands	Windows	Macintosh
New	Ctrl + N	(¥) + (N)
Load	Ctrl + L	(¥) + (L)
Save	Ctrl + S	<b>#</b> + S
Save As	Ctrl + Shift + S	(# + Shift) + S
Export QuickTime Animatic	Ctrl + E	<b>#</b> + E
Print	Ctrl + P	<b>#</b> + P
Quit	Ctrl + Q	(¥) + Q
Undo	Ctrl + Z	<b>#</b> + Z
Redo	Ctrl + Y	<b>#</b> + Y
Cut	Ctrl + X	<b>H</b> + X
Сору	Ctrl + C	<b>#</b> + C

Menu Commands	Windows	Macintosh
Paste	Ctrl + V	(¥) + (V)
Delete	Delete	Delete
Add Scene	Ctrl + I	(¥) + (I)
Add Panel	Ctrl + A	(¥) + (A)
Separate Panels	Ctrl + T	(H) + (T)
Join Panels	Ctrl + J	() + ()
Fit To Camera	Ctrl + F	(# + F
Fit To Canvas	Ctrl + Shift + F	(# + Shift) + F
Hide Overlaying Symbols	Ctrl + H	(¥) + (H)
Single Panel	Alt + 1	Option + 1
Columns	Alt + 2	Option + 2
Rows	Alt + 3	Option + 3
Thumbnails	(Alt + (4)	Option + 4
Timeline	(Alt + (5	Option + 5
Full Screen	F	F
Preview	(Alt + (P	Option + P

Menu Commands	Windows	Macintosh
User Guide	(F1)	) <b>H</b> + (?)

# Page Layout Keyboard Shortcuts

Toolbar	Windows	Macintosh
Edit [ 📐 ]	E	E

Commands	Windows	Macintosh
Page Setup	Ctrl + Shift + P	) + (Shift) + (P)
Print	Ctrl + P	(# + P
Print To PDF	Ctrl + Alt + P	#     +     Alt     +     P

# **Exposure Sheet Editor Keyboard Shortcuts**

Toolbar	Windows	Macintosh
Thumbnail [🛄]	L	L

**Note:** If you press a tool keyboard shortcut and you keep it pressed, you perform a temporary tool selection: when you release the key you will return to the previously selected tool.



**Digital Video S.p.A.** 4, Via Sante Bargellini 00157 Roma (Italy)





© 2008-2012 Digital Video S.p.A. All rights reserved. Story Planner is a trademark of Digital Video S.p.A. Image credits: Due Amici per la Terra © Rai Fiction/Union Contact. Adobe, Flash, and Macromedia are registered

trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. QuickTime and the QuickTime logo are trademarks used under license. The QuickTime logo is registered in the U.S. and other countries.